2024 CATALOG

- Canadian Edition

NORTH AMERICAN LEADER IN MANUFACTURING ROOFING EQUIPMENT grizzlyase.com



1-888-325-9953 orders@grizzlyase.com

STRONGER, SAFER, SMARTER.

Keep your team safe, improve your job site.

At GRIZZLY ASE, safety is our daily commitment. In this catalog, we present you with the best products on the market. From our ultra-flexible mobile anchor systems to our robust and customizable guardrails, as well as our modular barriers, each piece of equipment has been rigorously tested to meet the strictest standards and guarantee optimal protection on all your job sites. These products combine safety, performance, and adaptability to meet all your needs.



HERCULES MOBILE ANCHORING SYSTEM

UNIQUE EFFECTIVE DESIGN AND NO COUNTERWEIGTHS NEEDED

A mobile anchoring system for fall protection on flat roofs and similar structures, tailored to maximize productivity, safety, and ease of use through innovative design and advanced features.

HERCULES ANCHORING SYSTEM (1000 lbs)

OPTIONS		
861 000	Hercules Anchoring System	\$7990
861 000 SW	Hercules Anchoring System with solid wheels	\$8100
QUEBEC MODE	EL .	
860 000	Hercules Anchoring System (For Quebec only)	\$7725
860 000 SW	Hercules Anchoring System with solid wheels (For Quebec only)	\$7900

DIMENSION	
Length	82" (with the handle down) 120" (with the handle up)
Width	31"
Height	35" (with the wheels up) 43" (with the wheels down)
Platform Size	46 x 31"
Ground Clearance	0" to 7.5"
Tires	18 x 8.50 x 8, 4 ply rating,
Weight	1250 lbs.

CAPACITY	
Fall Arrest	2 workers*
Travel Restraint	4 workers*
Tires	815 lbs. capacity each

*Refer to the operator manual for more detailed information.

CSA Certified	Z259.16-04
OSHA Compliant	1926.502 1910.140 1910.66
ANSI Certified	Z359.18-2017



Durable, portable, safe and easy to operate by a single person.

Leave it on the roof for easy maintenance, all year long!

GUARD RAIL SYSTEM

Fully compliant with **OSHA** Fall Protection guidelines, the ASE Guard rail System provides excellent fall protection around roof edges, openings and other



RAIL SYSTEM*

- Section off the job site into zones to easily organize work and personnel.
- Warn workers of impending dangers such as hazardous materials or falls.
- Disassemble and relocate Guardrail sections quickly and easily.
- Meets and exceeds ANSI and OSHA requirements.
- Can be left on roof as permanent barrier (or permanent fencing).
- *A rail system includes only 1 rail and 1 base.

OPTIONS		
107 100	Rail System – 5 ft.	\$600
107 101	Rail System – 7.5 ft.	\$650
107 102	Rail System – 10 ft.	\$685
107 107	Based only + Pins	\$395
108 012	Rail Only – 5 ft.	\$205
108 014	Rail Only – 7.5 ft.	\$255
108 016	Rail Only – 10 ft.	\$290



SAFETY GUARD POST



Easy Installation, Lasting Protection

The Single Adjustable Post and Two-in-One Adjustable Post with Gravity lock are welded steel posts for parapets, open edges, and flat surfaces. Both posts comply with **OSHA**, *CSA regulations*, the **Ontario Building Code** and the **Quebec Safety Code for the construction industry**. They can be mounted on any vertical surface, such as a parapet wall, header beam, floor joist, wall stud, or roof truss. The Two-in-One post offers additional versatility by allowing for mounting on flat roofs.





SINGLE BASE TWO IN ONE BASE UPPER STEEL RAIL -10' x 1 %" or 10' x 1 ¼" Each rail is versatile, suitable for both upper and lower positions. LOWER STEEL RAIL 10' x 1 %" or 10' x 1 ¼" - ADJUSTABLE HEIGHT PARAPET OR WALL PLATE

SAFETY GUARD POST

These safety guard posts are designed to provide physical barriers and enhance safety in various environments. They are equipped with adjustable heights to accommodate different needs and are constructed with wood stud rings for secure attachment. The posts feature both upper and lower steel rails for added protection.

20-PF-GC-1	1 Guardrail post adjustable - SIMPLE BASE	\$208
20-PF-GC-2	② Guardrail post adjustable - 2 in 1 BASE	\$229
20-pf-GC-BARP	3 Galvanized steel guardrail bar 10 x 1- 1/4	\$41
20-pf-GC-BARG	3 Galvanized steel guardrail bar 10 x 1-5/8	\$78



FALLBAN CABLEGUARD SYSTEM

Roof Fall Protection

With just a few simple parts installed, your roof can be OSHA compliant, safe for anyone on the roof whether under construction or installed as a permanent system on an existing building.

LABOR SAVINGS

FallBan allows "Roofers" to stay fully focused on the job at hand, without having to dodge lanyards or be restricted by harnesses. They have found eliminating the need for workers to be tied off greatly increases productivity on the roof.

For many years the **FallBan** system has been the preferred choice, for its ease of use, multiple configurations, and efficiency.

Now, **FallBan 2** offers a rail, cable, or hybrid-rail/ cable barrier system with the same benefits as the previous cable-only system.

OSHA, SOR and USACE compliant, fast and easy setup, and 100% approval by safety inspectors for over

Versatile:

Supports cable, rail, and hybrid barriers.

Easy to Install:

Quick setup with minimal tools.

Flexible:

Customizable spacing for various applications.

Durable:

Built to last, with some systems still in use after 19 years.

Compatible:

Works with both new and old FallBan parts.

Portable:

Compact storage and transportation solution.

Efficient: No ballast needed, maximizing workspace.

Space-Saving:


Small footprint for a given barrier length. Adaptable:

Compatible with different roof types.

OSHA



Create your own Fall Protection System!





FALLBAN KITS

FALLBAN 2* 80 ft. Quick Corner Kit	Qty
1 FallBan 2 Stanchions	6
2 Stanchion to Wall Rests	6
3 FallBan 2 Mid Braces	5
4 Diagonal Braces	4
5 Cable Pullers	2
6 Stanchion Support plate	6
7 Cable 250' Roll	1
8 Flag line 100 FT	1
9 Cable Corner Rollers	6
10 Wooden Storage Pallet	1
* Does not include Extention Bars, Parape	t Clamps



FALLBAN B	FALLBAN BASIC STRAIGHT RUN KITS include:						
ITEM#	KIT SIZE	COMPLETE STANCHIONS	MID BRACES	DIAGONAL Braces	ANCHOR PLATES	CABLE	FLAG LINE
FB2-80	80'	2	5	4	2	250'	100'
FB2-100	100'	6	5	2	2	300'	100'
FB2-200	200'	11	10	2	2	600'	200'
FB2-400	400'	21	20	2	2	1200'	400'
FB2-500	500'	26	25	2	2	1500'	500'

Basic Kits can be adapted to standard flat or gravel stop edges or gutter edges.



FALLBAN PREMIUM KITS include:											
ITEM#	KIT SIZE	COMPLETE STANCHIONS	MID Braces	DIAGONAL BRACES	ANCHOR PLATES	CABLE	FLAG LINE	CORNER ROLLER ASSEMBLIES	EXTENSION BARS	PARAPET CLAMPS	DIAGONAL BRACE SWIVELS
FB2-P-100	100'	6	5	4	2	300	100	3	6	6	1
FB2-P-200	200'	11	10	8	2	600	200	12	11	11	1
FB2-P-400	400'	21	20	10	2	1200	400	12	21	21	2
FB2-P-500	500'	26	26	12	2	1500	500	15	26	26	2

Premium Kits can be adapted to standard flat or gravel stop edges, gutter edges, corners (both inside and outside) parapet walls (of a variety of widths) and roof overhangs.

100' – 200' set will include a wooden shipping container. Sets larger than 200' will include a steel FallBan Storage Pallet.

Call your distributor for price.

Pricing is subject to change without notice. Taxes and shipping fees are additional.

SAFETY EQUIPMENT

ROOF GUARD AND FALL PROTECTION

PREMIUM PRODUCTS. **BUILT FOR A LONG-TERM INVESTMENT.**



SAFETY FOR ALL USERS

Delta Prevention offers innovative and versatile fall protection systems. The guardrails are 100% free-standing, made with aluminum pipes that resist rust and deterioration, and our patented bases are crafted from recycled rubber.


Delta Prevention roof fall protection products are certified by an independent engineering firm and comply with CNBC and OSHA standards.

Eco-responsible products 100% designed and manufactured in Canada.

Aluminum pipes that resist rust and deterioration.

Certified by an independent engineering firm and comply with CNB and **OSHA standards.**

Our certified turnkey solutions are tailored to your standard needs.






VSS COMPACT SAFETY GUARDRAIL

VSS Compact guardrail system with two 5-foot returns. Ideal for areas with limited space.


		0	2	3
	ITEM#	#GR-COM01	#GR-COM02	#GR-COM03
	GUARDRAIL (FT.)	10'	20'	40'
	PALLET DIMENSION	48" x 42" x 25'	48" x 42" x 25"	48" x 42" x 30"
	PALLET WEIGHT	480 lbs	600 lbs	830 lbs
	BUNDLE Dimension	120" x 6"x 6"	120" x 6" x 6"	120" x 10" x 8"
	BUNDLE Weight	50 lbs	60 lbs	100 lbs
	\$ PRICE	\$3436	\$4422	\$6350
Į	ŞPNICE	\$ 3 4 3 0	\$4422	\$0330



VSS COMPACT CORNER GUARDRAIL

VSS Compact corner guardrail system with two 5-foot returns. Ideal for securing the corner of a building when space is limited.

		•	2	3	
	ITEM#	#GR-COM04	#GR-COM05	#GR-COM06	
	GUARDRAIL (FT.)	10' - 10'	10'-20'	20'-20'	
	PALLET DIMENSION	48" x 42" x 25"	48" x 42" x 25'	48" x 42" x 30"	
	PALLET WEIGHT	600 lbs	725 lbs	830 lbs	
	BUNDLE DIMENSION	120" x 6" x 6"	120" x 6" x 6"	120" x 10" x 8"	
	BUNDLE WEIGHT	60 lbs	80 lbs	100 lbs	
	\$ PRICE	\$4474	\$5438	\$6402	
•	•		28	<u> </u>	








HATCH SAFETY SYSTEMS

The roof hatch guardrail protects access to the hatch and provides handholds to increase safety entering or exiting the ladder. This guardrail also prevents falls into the hatch when it is left open.

Willow to total openii					
	0	2			
ITEM#	#GR-HAT01 (Standard)	#GR-HAT02 (Oversized)			
DIMENSION	36" x 48"	104" x 52"			
PALLET DIMENSION	48"x24"x30"	48" x 40" x 25"			
PALLET WEIGHT	220 lbs	200 lbs			
BUNDLE Dimension	N/A	120" x 6" x 6"			
BUNDLE WEIGHT	N/A	60 lbs			
\$ PRICE	\$3239	\$3632			



LADDER STABILIZER SYSTEM

Delta Prevention's patented ladder stabilizer system is designed to create safe access to roofs accessible by an extension ladder.

	by an exten	olon laddon
ITEM#	#GR-LAD01	
PALLET DIMENSION	54" x 42" x 40"	
PALLET WEIGHT	400 lbs	29
\$ PRICE	\$4734	

SELF-CLOSING SAFETY GATE

Self-closing gates are the best solutions to prevent falls in access points such as stairs or ladders by closing areas to

	workers or pedestrialis.
ITEM#	#GR-GAT01
PACKAGING	1 box (30" x 8" x 23") - 17 lbs
\$ PRICE	\$ 957

VSS CLASSIC GUARDRAIL

Linear configuration to secure between a minimum of 10 feet up to your entire perimeter without any return. #GR-CLA01 GUARDRAIL 10' (FT.) PALLET 48" x 42" x 24 DIMENSION PALLET 500 lbs WEIGHT BUNDLE 120" x 4"x 4" DIMENSION BUNDLE 30 lbs WEIGHT \$2941 \$ PRICE

CORNER CLAMPS

ITEM#	#GR-CON01	
PACKAGING	Set of 2	
\$ PRICE	\$53	

VARIABLE ANGLE CLAMPS

INSTALLATION

LIGHTWEIGHT **ALUMINUM RAILING**

This makes installation easier and faster.



ONE TOOL NEEDED

You will only need a impact wrench and a 5/16".



QUICK **INSTALLATION**

Installing a 20-foot VSS Compact system takes less than 15 minutes.



INSTALLATION GUIDE

Scan this QR code to access the installation guide



SAFETY EQUIPMENT

Distributed by:



NORTH AMERICAN LEADER IN MANUFACTURING ROOFING EQUIPMENT

8650, Rue du Creusot, Saint-Léonard, Qc H1P 2A7 grizzlyase.com • 1 888 325.9953